



CERTIFICATE

OF CONFORMITY No. Q/9/21/BS entitling to mark the product with the "QUALITY mark Q"

Name and address of
Manufacturer:

GRUPA AZOTY ZAKŁADY AZOTOWE KĘDZIERZYN SPÓŁKA AKCYJNA
ul. Mostowa 30A, 47-220 Kędzierzyn-Koźle

Trade name of fertiliser:

Salmag®

Type of fertiliser:

A.1.5 Calcium ammonium nitrate

Main parameters:

Total nitrogen (N)	% (m/m):	27,0
Nitrogen (N) in ammonium form	% (m/m):	13,5
Nitrogen (N) in nitric form	% (m/m):	13,5
Calcium oxide (CaO) water soluble	% (m/m):	3,0
Total magnesium oxide (MgO)	% (m/m):	4,0
Arsenic (As) max.	mg/kg:	40
Cadmium (Cd), max.	mg/kg:	40
Lead (Pb), max.	mg/kg:	110
Mercury (Hg), max.	mg/kg:	1
Content of granules 2-5 mm, min.	% (m/m):	95

Product meets requirements
specified in:

Group criteria for quality mark "Q" No. 01/BS/PCBC/17 and Manufacturer's
Declaration of 30.06.2021

According to the report from
tests performed by:

Fertilizer and Chemical Product Laboratory, Testing and Certification Branch
Office in Piła, PCBC

Number and date of test report:

BP.PL/393/2021/AP of 31.05.2021

The certificate is valid:

from **21.07.2021** till **20.07.2024**

Issued on the basis of the
contract no.:

056/BS/21

*The certificate refers exclusively to products with identical characteristics (parameters) as specimen(s) submitted
for tests and meeting requirements specified above.*

Certification scheme DBS-02-Q



Member of the Board

Reg. no. 193/21
FBS 25/5

Warsaw, 21.07.2021

Certificate bears the qualified signature